




Code: 748-460 MI-100
Adaptor Plug Orifice



Code: 748-529 PO-501
Hex. orifice - 5/16 x 36 threads
Drill LP 72 Natural 56



Code: 748-532 PO-502
Plug Orifice for Radiant Fire Heaters
.267" x 36 thread
Drill LP 75 Natural 72



Code: 748-535 PO-504
Plug Orifice 1/4" x 40
Drill LP 80 Natural 76



Code: 748-538 PO-505
Plug Orifice with flat end
1/8" x 40
Natural 72



Code: 748-544 PO-507
Bullet Nose Plug Orifice
1/4" x 28 thread
Drill LP 80 Natural 80



Code: 748-547 PO-508
Plug Orifice 1/4" x 28 thread
Drill LP 72 Natural 56



Plug Orifice

Code: 748-568 PO-519 1/8" mpt
Code: 748-571 PO-520 1/4" mpt
Code: 748-574 PO-521 3/8" mpt
Code: 748-577 PO-522 1/2" mpt



Code: 748-553 PO-511
Plug Orifice 7/16" x 27 thread
Drill LP 75 Natural 73



Code: 748-556 PO-512
Plug Orifice 5/16 x 32" thread
Drill LP 75 Natural 73



Code: 748-559 PO-515
Plug Orifice 1/4" x 32" thread
Drill LP 72 Natural 56



Code: 748-562 PO-516
Plug Orifice 6 x 32" thread
Drill LP 72 Natural 56



Code: 748-570 PO-518
Plug Orifice 11/32" x 32" thread
Drill LP 72 Natural 56



Code: 748-580 PO-523
Manifold Plug
1/8" taper pipe thread




Code: 748-583 PO-525
Plug Orifice
1/4" taper pipe thread



Code: 748-586 PO-527
Plug Orifice 5/16" x 32 thread
Drill LP 80 Natural 77



Code: 748-592 PO-529
Plug Orifice 5/16" x 27 thread
Drill LP 72 Natural 56



Code: 748-595 PO-530
Plug Orifice 5/16" x 24 thread
Drill LP 72 Natural 56



Code: 748-598 PO-531
Plug Orifice 11/32" x 27 thread
Drill LP 72 Natural 56



Code: 748-601 PO-532
Plug Orifice 11/32" x 27 thread
Drill LP 72 Natural 56




Code: 748-607 PO-534
 Plug Orifice 3/4" x 16 thread
 Drill LP 72 Natural 56



Code: 748-610 PO-535
 Plug Orifice 3/4" x 27 thread
 Drill LP 72 Natural 56




Code: 748-613 PO-536
 Plug Orifice 3/8" x 27 thread
 Drill LP 72 Natural 56




Code: 748-616 PO-537
 Plug Orifice
 1/8" x 27 taper pipe thread
 Drill LP 72 Natural 56



Code: 748-631 PO-542
 Plug Orifice 3/8" x 24 thread
 Drill LP 72 Natural 56




Code: 748-655 PO-555
 Plug Orifice 1/2" x 27 thread
 Drill LP 72 Natural 56



Code: 748-658 PO-556
 Plug Orifice 1/2" x 27 thread
 Drill LP 72 Natural 56



Code: 748-661 PO-557
 Plug Orifice 9/16" x 18 thread
 Drill LP 72 Natural 56



Code: 748-664 PO-558
 Plug Orifice 9/16" x 27 thread
 Drill LP 72 Natural 56




Code: 748-667 PO-559
 Plug Orifice 5/8" x 27 thread
 Drill LP 72 Natural 56




Code: 748-670 PO-560
 Plug Orifice 8" x 32 thread
 Drill LP 010 Natural 80




Code: 748-681 PS-652
 Pilot tip - Compression connexion 3/16"



Code: 748-697 PS-668
 Pilot orifice
 1/4" Compression to 7/16 thread
 Drill LP-010



Code: 748-718 PS-676
 Orifice tip 7/16" x 27 thread
 Drill LP-72 Natural 56




Code: 748-721 PS-677
 Pilot orifice fitting
 3/16" compression connector
 to .215" x 28 thread
 Drill LP-008 Natural 011




Code: 748-105 CO-400
 Cap Orifice - Standard Flat End
 3/8" x 27 thread - Approx. Length 23/32"
 Drill LP-72 Natural 56



Code: 748-106 CO-401
 Cap Orifice - Standard Flat End
 1/8" taper pipe thread
 Approx. Length 11/16"
 Drill LP-72 Natural 56




Code: 748-107 CO-402
 Cap Orifice - Standard Flat End
 3/8" x 40 thread - Approx. Length 11//16"
 Drill LP-72 Natural 56




Code: 748-109 CO-403
 Cap Orifice - Standard Counter bored end
 3/8" x 27 thread - Approx. Length 3/4"
 Drill LP-72 Natural 56



Code: 748-112 CO-404
 Standard flat end 1/2" x 27 thread
 Approx. Length 15/16"
 Drill LP-72 Natural 56




Code: 748-115 CO-405
 Cap Orifice - Standard flat end
 1/2" x 20 thread - Approx. Length 15/16"
 Drill LP-72 Natural 56



Code: 748-118 CO-406
 Cap Orifice - Standard flat end
 3/8" x 27 thread - Approx. Length 13/16"
 Drill LP-72 Natural 56




Code: 748-121 CO-407
 Cap Orifice - Standard counter board
 3/8" x 27 thread - Approx. Length 15/16"
 Drill LP-72 Natural 56




Code: 748-124 CO-408
 Cap Orifice - Standard counter bored end
 3/8" x 27 thread - Approx. Length 13/16"
 Drill LP-72 Natural 56



Code: 748-127 CO-409
 Cap Orifice - Standard flat end
 3/8" x 40 thread - Approx. Length 13/16"
 Drill LP-72 Natural 56




Code: 748-130 CO-410
 Cap Orifice - Standard flat end
 9/16" x 4 thread - Approx. Length 1-5/32"
 Drill LP-72 Natural 56



Code: 748-073 Slotted Cap jet
BJ-216 1/8" x 24 taper pipe
BJ-217 7/16" x 24 thread
 Drill LP-77 Natural 68




Code: 748-502 OB-204
 Burner orifice-hex head
 57/64" x 18 thread - Length 5/8"
 Drill LP-72 Natural 56



Code: 748-505 OB-205
 Burner orifice 0267" x 32 thread
 Drill LP-80 Natural 56



Code: 748-508 OB-206
 Plug orifice .980" x 28 thread
 Natural 50




Code: 748-509 OB-207
 Burner Orifice 1/4" x taper pipe thread
 Drill LP-72 Natural 56




Code: 748-619 PO-538
 Plug Orifice 3/8" x 32 thread
 Drill LP-72 Natural 56



Code: 748-622 PO-539
 Reverse Plug 10 x 32 thread
 Drill LP-010 Natural 80



Code: 748-634 PO-543
 Plug orifice 7/16" x 24 thread
 Drill LP-72 Natural 56



Code: 748-637 PO-544
 Plug orifice 5/16" x 18 thread
 Drill LP-72 Natural 56



Code: 748-652 PO-554
 Plug orifice 1/2" x 24 thread
 Drill LP-72 Natural 56



Code: 748-002 BA-701
 1/8" Male pipe thread to 7/16" x 27 thread
 Drill LP-010 Natural 80



Code: 748-003 BA-702
 1/4" Compression connection to
 7/16" x 27 thread. For LP gas onyx
 Drill LP-010 Natural 80




Code: 748-004 BA-703
 1/8" Female pipe thread to
 7/16" x 27 thread
 Drill LP-010 Natural 80



Code: 722-274 BA-713
3/16" Compression connection
to 7/16" x 27 thread



Code: 722-313 BA-715
1/4" Compression connection to
7/16" x 27 thread




Code: 748-020 BA-717
3/16" Compression connection to
5/16" x 32 thread
Drill LP-007 Natural 011




Code: 748-021 BA-718
1/4" Compression connection to
7/16" x thread double orifice
Drill LP-012 Natural 021



Code: 748-028 BA-720
1/8" Male pipe thread to
7/16" x 27 thread double orifice
Drill LP-012 Natural 021



Code: 748-031 BA-721
1/4" Compression connection to
5/16" x 32 thread
Drill LP-007 Natural 011




Code: 748-367 GE-751
Pilot Elbow 1/4" Compression
Drill LP-007 Natural 76



Code: 748-370 GE-752
Pilot tip 1/4" Compression
Drill LP-007 Natural 76




Code: 724-238 GE-753
Pilot orifice fitting 1/4" Compression
to 5/16" x 32 thread
Drill LP-010 Natural 78



Code: 748-374 GE-754
Orifice fitting 1/4" Compression to
5/16" x 32 thread
Drill LP-010



Code: 748-376 GE-755
Pilot orifice elbow 1/4" Compression
to 5/16" x 32 thread
Drill LP-010 Natural 77




Code: 748-079 GE-756
Pilot elbow 1/4" Compression
connection to 5/16" x 32 thread
Drill LP-010 Natural 78




Code: 748-388 GR-800
Pilot orifice long type
length 29/64"



Code: 748-391 GR-801
Pilot orifice short type
length 21/64"
Drill LP-009 Natural 80



Code: 748-394 GR-803
Pilot orifice for 1/4" compression
Drill LP-009 Natural 78



Code: 748-397 GR-804
Pilot orifice for 1/4" compression
Drill LP-008 Natural 78



Code: 748-400 GR-805
Pilot orifice for 1/4" compression
Drill LP-007 Natural 80



Code: 748-403 GR-806
Pilot orifice for 3/16" compression
Drill LP-007 Natural 80




Code: 748-406 GR-807
Pilot orifice for 3/16" compression
Drill LP-008 Natural 78




Code: 748-409 GR-812
Mini Pilot 1/4" inverted flare to
5/16" x 32 x male thread
Drill LP-009 Natural 80




Code: 748-412 GR-813
Pilot orifice 1/4" Compression
Drill LP-010 Natural 018



Code: 748-413 GR-814
Pilot burner 1/4" Compression
Code: 748-414 GR-815
Pilot burner 3/16" Compression
Drill LP-008 Natural 016




Code: 748-415 GR-816
3/16" Compression connection to
5/16" x 32 thread




Code: 748-418 GR-817
1/4" Compression connection to
5/16" x 32 thread



Code: 748-424 GR-819
1/4" Compression connection to
3/8" x 24 thread



Code: 748-421 GR-818
3/16" Compression connection to
5/16" x 32 thread




Code: 748-425 GR-820
1/4" Compression connection to
5/16" x 24 thread



Code: 748-904 WR-900
1/4" Compression connection to
1/2" x 20 thread



Code: 748-907 WR-901
1/8" Female pipe to 1/2" x 20 thread




Code: 748-910 WR-902
Elbow 1/4" Compression to 1/2" x 20
thread with swivel for adjusting
through 360 arc



Code: 748-913 WR-903
1/4" Compression connection to
7/16" x 20 thread



Code: 748-916 WR-904
1/8" Female pipe to 7/16" x 20 thread



Code: 748-919 WR-905
1/4" Compression Connection to
7/16" x 20 thread




Code: 748-922 WR-906
Swivel type pilot orifice fitting 1/4"
Compression to 7/16" x 20 thread
Drill LP-010 Natural 80



Code: 748-439 MH-850
Orifice fitting 1/4" Compression to
7/16" x 27 male thread
Drill LP-010 Natural 80



Code: 748-442 MH-851
Orifice fitting 1/4" Compression to
7/16" x 27 male thread
Drill LP-011 Natural 77



Code: 748-445 MH-852
Orifice fitting 1/8" Female pipe thread
to 7/16" x 27 male thread
Drill LP-012 Natural 77



Code: 748-448 MH-853
Orifice fitting 1/8" Male pipe thread to
7/16" x 27 male thread
Drill LP-010 Natural 80




Code: 748-451 MH-854
Orifice fitting 1/4" Compression to
7/16" x 27 male thread
Drill LP-010 Natural 77



Code: 748-452 MH-855
Orifice fitting 1/4" Compression to
7/16" x 27 male thread
Drill LP-010 Natural 77



Code: 748-454 MH-856
Pilot orifice
Drill LP-010 Natural 80



Code: 748-457 MH-857
Bullet Nose Pilot Orifice
Drill LP-010 Natural 80



Code: 748-468 MI-108
Drop-in Needle




Code: 748-469 MI-109
Drop-in Needle
Drill LP-010 Natural 80



Code	Modèle Model	Description
748-739	TL-050	Burner Broach



Code	Modèle Model	Description
748-787	TL-071	.204" diameter




Code	Modèle Model	Description
748-781	TL-069	1/8" diameter



Code	Modèle Model	Description
748-763	TL-061	Handpiece



Code	Modèle Model	Description
748-784	TL-070	5/32" diameter



Code	Modèle Model	Grandeur Size
748-490	MI-151	3/8" x 24 Thread Double groove

**ENSEMBLE D'ORIFICES ASSORTIS
SERVICEMAN ORIFICE ASSORTMENT**

MI-132
Code: 748-478



Coffre contient - Kit contains

4 x RS-804	7 x RS-801	5 x RS-803
3 x RS-805	3 x RS-806	3 x RS-807
5 x RS-820	4 x RS-821	6 x RS-818
1 x GE-751	2 x GE-852	3 x GE-853
9 x GE-757	3 x BA-719	4 x BA-720
3 x BA-701	2 x BA-702	3 x BA-703
6 x BA-718	3 x MH-851	4 x MH-854
4 x MH-856	6 x MH-857	4 x MH-858
6 x PS-677	3 x WR-900	1 x WR-901
1 x WR-902	2 x WR-902	1xWR-904 1xWR-905

MANOMÈTRE - MANOMETER




Code	Modèle Model	Description
748-493	MI-231	Lecture jusqu'à 16" Readings to 16"



**VÉRIFICATEUR DE BASSE PRESSION
LOW PRESSURE GAS TEST KIT**


Code	Modèle Model	Description
780-005	LPTK	Pour propane ou naturel For propane or natural
748-742		Adaptateur seulement Universal adapter only

**Adaptateur Universel pour Manomètre
(LPTK) Universal Manometer Adaptor**




Code	Description
748-742	1/8" MPT - 1/4" MPT 5/16" x 32 threads à/to 1/8" MPT hose fitting

**Alésoirs à 3 faces
Three Cornered Broaches**



Code	Modèle Model	Description
748-358	G-3015	.003" to .013"
748-361	G-3020	Même avec poignée <i>Same with handle</i>

**Mèches et Boîtier Pratique
Drill Kit in a Convenient Case**



Code	Mod.	Contient / Contains
748-352	G-1939	No. 19 à/to No. 39
748-364	G-4080	No. 40 à/to No. 80
748-799	Boîtier seulement / <i>Case only</i>	


**Mèches de Remplacement
Replacement Drills**



Code

748-160	G-0019	748-250	G-0050
748-163	G-0020	748-253	G-0051
748-166	G-0021	748-256	G-0052
748-169	G-0022	748-259	G-0053
748-172	G-0023	748-262	G-0054
748-175	G-0024	748-265	G-0055
748-178	G-0025	748-268	G-0056
748-181	G-0026	748-271	G-0057
748-184	G-0027	748-274	G-0058
748-185	G-0028	748-277	G-0059
748-187	G-0029	748-280	G-0060
748-190	G-0030	748-283	G-0061
748-193	G-0031	748-286	G-0062
748-196	G-0032	748-289	G-0063
748-199	G-0033	748-292	G-0064
748-202	G-0034	748-295	G-0065
748-205	G-0035	748-298	G-0066
748-208	G-0036	748-301	G-0067
748-211	G-0037	748-304	G-0068
748-214	G-0038	748-307	G-0069
748-217	G-0039	748-310	G-0070
748-220	G-0040	748-313	G-0071
748-223	G-0041	748-316	G-0072
748-226	G-0042	748-319	G-0073
748-229	G-0043	748-322	G-0074
748-232	G-0044	748-325	G-0075
748-235	G-0045	748-328	G-0076
748-238	G-0046	748-331	G-0077
748-241	G-0047	748-334	G-0078
748-244	G-0048	748-337	G-0079
748-247	G-0049	748-340	G-0080

**Alésoirs à 4 faces
Four Cornered Broaches**



Vendu en paquet de 12 unités
Sold in packs of 12 only

Code	Modèle Model	Description
748-343	G-1008	Tapered from .008" to .017"
748-346	G-1010	Tapers from .010" to .017"
748-349	G-1012	Tapers from .012" x .017"