

Heaters



martin®

CHS10T
F12S Inferno M3S
4010W MDV8P



CH3



F16D



CHS10T



MDV12VP / MDV12VN



GF125LP

martin®

camping - BBQ - heating - service parts

Martin Heaters

Table of contents



Propane camping heaters

Operate on a 1-lb (16.4-oz) propane cylinder

M3S.....	4
CH3.....	5
CHS7.....	6
CHS10T.....	6
CHS20T.....	7
4010W.....	8
B15.....	9
F12S.....	9
Specification chart.....	10

Propane construction heaters

Operate on a 20-lb propane cylinder

GF35LP.....	13
GF125LP.....	13
AD018.....	14
M150.....	15
MB150A.....	15
F16.....	16
F16D.....	16
B35.....	16
RCHT-100LP.....	17
Specification chart.....	18

Propane patio heaters

Operate on a 20-lb propane cylinder

PH01S.....	20
Grey patio heater.....	20
Inferno.....	21
Specification chart.....	22

Propane & Natural gas direct-vent heaters

MDV8P / MDV8N.....	24
MDV12P / MDV12PN.....	24
MDV12VP / MDV12VN.....	24
MDV20P / MDV20N.....	25
MDV20VP / MDV20VN.....	25
Specification chart.....	27



martin®





Propane camping heaters



Propane camping heaters

M3S

Product number: 240011

3,100 Btu



Safety fuel shutoff if flame goes out



Operates on a 16.4-oz disposable propane cylinder



Off / Lo / Med / Hi intensity control



Includes extendable base for greater stability

All heaters in this section operate on a 1-lb (16.4-oz) propane cylinder, sold separately.



M3S



Selective Temperature



CH3



CH3

Product number: 112100

3,000 Btu



Folding support legs



Operates on a 16.4-oz disposable propane cylinder



Adjustable heat intensity



Piezo ignition



Flameless

All heaters in this section operate on a 1-lb (16.4-oz) propane cylinder, sold separately.

Pleasure in its pure way



Propane camping heaters

CHS7

Product number: 112250

7,000 Btu

- Operates on a 16.4-oz disposable propane cylinder
- Safety fuel shutoff if flame goes out
- Safety tilt switch
- Electronic ignition
- Automatic "low oxygen" safety shutoff

All heaters in this section operate on a 1-lb (16.4-oz) propane cylinder, sold separately.



Swivel regulator bottom connection for easy cylinder installation



Selective temperature



CHS7

NOW
with built-in thermostat



Selective temperature



Closed compartment for propane bottle

Optional



6-foot gas hose with regulator for connection to a 20-lb propane cylinder



CHS10T

NOW
with built-in thermostat



6 volt blowing fan



Selective temperature



Closed compartment for propane bottle



CHS20T

Options



Quick-connect gas hose for connection to a standard 20-lb cylinder



6-ft gas hose for connection to a 20-lb propane cylinder with regulator supplied



110-volt converter for hot air fan (Also operates on 4 D-cell batteries, not included)

CHS20T

Product number: 112400

20,000 Btu

- Safety fuel shutoff if flame goes out
- Operates on a 16.4-oz disposable propane cylinder
- Built-in fan
- Electronic ignition
- Automatic "low oxygen" safety shutoff
- Safety tilt switch

All heaters in this section operate on a 1-lb (16.4-oz) propane cylinder, sold separately.

CHS10T

Product number: 112300

10,000 Btu

- Safety fuel shutoff if flame goes out
- Operates on a 16.4-oz disposable propane cylinder
- Electronic ignition
- Automatic "low oxygen" safety shutoff
- Safety tilt switch
- Built-in thermostat

All heaters in this section operate on a 1-lb (16.4-oz) propane cylinder, sold separately.





Propane camping heaters

4010W

Product number: 611005

10,500 Btu



Safety fuel
shutoff if flame
goes out



Built-in thermostat



Safety tilt switch



Automatic "low oxygen"
safety shutoff



Built-in thermostat –
automatic temperature control
(13° C to 35° C / 55° F to
95° F)

Available color



Camouflage
611010



4010W

All heaters in this section operate on a 1-lb (16.4-oz)
propane cylinder, sold separately.

Propane camping heaters



B15

Product number: 765001

11,500 Btu



Adjustable Stand



With Flame Failure
Safety



10 feet gas
hose/regulator
for connecting a 20 lbs
propane cylinder



B15

Operates on a disposable propane
cylinder, sold separately.



Operates on a 16.4-oz
disposable propane
cylinder



Safety fuel
shutoff if flame
goes out



Adjustable heat
intensity



Piezo ignition



Safety tilt switch

All heaters in this section operate on a 1-lb (16.4-oz)
propane cylinder, sold separately.

Energy efficient



With Flame Failure
Safety



Operates on a
1 lb (16.4 oz)
disposable propane
cylinder
(not included)



Piezo Automatic
ignition

Optional



6-foot gas hose with
regulator for connection to
a 20-lb propane cylinder



F12S

F12S

Product number: 622001

5,000 Btu



Safety fuel
shutoff if flame
goes out



Adjustable heat
intensity



Safety tilt switch



Piezo ignition

All heaters in this section operate on a 1-lb (16.4-oz)
propane cylinder, sold separately.

Heaters

Specifications

Propane camping heaters



								
	M3S	CH3	CHS7	CHS10T	CHS20T	Camouflage 4010W	B15	F12S
Product number	240011	112100	112250	112300	112400	611005	765001	622001
Type of gas	 Propane	 Propane	 Propane	 Propane	 Propane	 Propane	 Propane	 Propane
UPC	7 78047 10480 6	7 78047 11320 4	7 78047 11627 4	7 78047 10732 6	7 8047 10762 3	7 78047 05373 9	7 78047 00456 4	7 78047 11268 9
Thermostat	—	—	—	✓	✓	✓	—	—
Power input (Btu)	3,100	3,000	7,100	10,000	20,000	10,500	11,500	5,000
Carrying handle	✓	—	✓	✓	✓	✓	✓	—
Adjustable temperature	✓	✓	✓	✓	✓	✓	✓	✓
Adjustable heat angle	—	✓	—	—	—	—	✓	—
Safety tilt switch	—	—	✓	✓	✓	✓	✓	✓
Automatic “low oxygen” safety shutoff	—	—	✓	✓	✓	✓	—	—
Safety ful shutoff if flame goes out	✓	✓	✓	✓	✓	✓	✓	✓
Flameless	—	✓	—	—	—	—	—	—
Automatic ignition	—	—	✓	✓	✓	✓	—	—
Piezo ignition	—	✓	—	—	—	—	✓	✓
Certification								



For major projects...
take great solutions!

Propane construction heaters



GF35LP

Hose and regulator
included



GF125LP

Hose and regulator
included

GF35LP

Product number: 765002

 35,000 Btu



Safety fuel
shutoff if flame
goes out



Safety tilt switch



Heats an area of up to
76 m² (820 ft²)



Piezo ignition

GF125LP

Product number: 765003

 125,000 Btu



Safety fuel
shutoff if flame
goes out



Safety tilt switch



Heats an area of up to
280 m² (3,000 ft²)



Piezo ignition

All heaters in this section operate on a 20-lb propane cylinder or bigger, sold separately.



Propane construction heaters

AD018

Product number: 611021

60,000 Btu



Safety fuel shutoff if flame goes out



Safety tilt switch



Heats an area of up to 115 m² (1,250 ft²)



Piezo ignition



Runs on electricity with a built-in fan

All heaters in this section operate on a 20-lb propane cylinder or bigger, sold separately.



AD018

Hose and regulator included



Propane construction heaters

M150

Product number: 611020

150,000 Btu



Safety fuel shutoff if flame goes out



Operates without a fan or electricity



Heats an area of up to 325 m² (3,500 ft²)



M150

Hose and regulator included

All heaters in this section operate on a 20-lb propane cylinder or bigger, sold separately.



MB150A

Hose and regulator included

MB150A

Product number: 611150

150,000 Btu



Safety fuel shutoff if flame goes out



Safety tilt switch



Heats an area of up to 115 m² (1,250 ft²)



Piezo ignition



Runs on electricity with a built-in fan

All heaters in this section operate on a 20-lb propane cylinder or bigger, sold separately.



Propane construction heaters

F16

Product number: 622004

16,000 Btu

F16D

Product number: 622006

2X 16,000 Btu



Safety fuel shutoff if flame goes out



Safety tilt switch



Off / Lo / Med / Hi intensity control

B35

Product number: 765301

35,000 Btu



Safety fuel shutoff if flame goes out



Safety tilt switch



Heats an area of up to 76 m² (820 ft²)



Piezo ignition

16

All heaters in this section operate on a 20-lb propane cylinder or bigger, sold separately.



F16D



F16



B35

Hoses and regulator included

Propane construction heaters



RCHT-100LP

Product number: 765193

95,000 Btu



Also available for use with natural gas (765-192)



Built-in thermostat



Heats an area of up to 230 m² (2,500 ft²)



RCHT-100LP

All heaters in this section operate on a 20-lb propane cylinder or bigger, sold separately.



17

Heaters Specifications

Propane construction heaters



GF35LP



GF125LP



AD018



M150



MB150A



F16

F16D



B35



RCHT-100LP

Product number	765002	765003	611021	611020	611150	622004	622006	765301	765193
Type of gas	 Propane	 Propane	 Propane	 Propane	 Propane	 Propane	 Propane	 Propane	 Propane
UPC	7 78047 09131 1	7 78047 00457 1	7 78047 11267 2	7 78047 00352 9	7 78047 11675 5	7 78047 00351 2	7 78047 10735 7	7 78047 10995 5	7 78047 10225 3
Thermostat	—	—	—	—	—	—	—	—	✓
Power input (Btu)	35,000	125,000	60,000	150,000	150,000	16,000	32,000	35,500	100,000
Carrying handle	Foldable	Foldable	✓	—	—	—	—	Foldable	—
Adjustable temperature	✓	✓	—	—	—	✓	✓	✓	✓
Safety tilt switch	✓	✓	✓	—	—	✓	✓	✓	✓
Safety fuel shutoff if flame goes out	✓	✓	—	✓	✓	✓	✓	✓	✓
Requires electricity	—	—	✓	—	—	—	—	—	—
Piezo ignition	✓	✓	✓	—	—	—	—	✓	—
Hose (included)	3 m (10 ft)	3 m (10 ft)	5 m (16 ft)	6 m (20 ft)	3 m (10 ft)	—	—	5 m (16 ft)	Optional
Regulator (included)	1 PSI	5 PSI	5 PSI	0-30 PSI	—	—	—	3 PSI	Optional
Also available for use with natural gas	—	—	—	—	—	—	—	—	(RCHT-100N) 100K Btu 765192
Heating capacity	76 m ² (820 ft ²)	280 m ² (3,000 ft ²)	116 m ² (1,250 ft ²)	325 m ² (3,500 ft ²)	325 m ² (3,500 ft ²)	—	—	76 m ² (820 ft ²)	230 m ² (2,500 ft ²)
Certification									



Propane patio heaters

PH01S

Product number: 765033

45,000 Btu



Safety fuel shutoff if flame goes out



Adjustable heat intensity



Safety tilt switch




Piezo ignition



Wide heat reflector – (one piece)
95 cm (37.4 in)

Solid post –
7.6 cm (3 in)
in diameter

Large comfort zone
(up to 10 m)




Based on an outside temperature of 10 °C



PH01S



Available in grey :
Grey patio
heater
765063



Heats an area of up to 6 m (20 ft) in diameter



Retracts for easy
storage



Inferno



Propane patio heaters

Inferno

Product number: 765035

36,000 Btu



Safety fuel shutoff if flame goes out



Adjustable heat intensity



Safety tilt switch



Electronic ignition

For more information,
see the datasheet for each
product or visit our website
www.bismar.com



Heaters

Specifications

Propane patio heaters

and electric construction heater



PH01S



Grey patio heater



Inferno

Product number	765033	765063	765035
Type of gas	Propane	Propane	Propane
UPC	7 78047 10681 7	7 78047 11760	7 78047 11132 3
Thermostat	—	—	—
Power input (Btu)	45,000	45,000	36,000
Carrying handle	—	—	—
Adjustable temperature	✓	✓	✓
Safety tilt switch	✓	✓	✓
Safety fuel shutoff if flame goes out	✓	✓	✓
Requires electricity	—	—	—
Piezo ignition	✓	✓	Automatic ignition
Hose and regulator (included)	✓	✓	✓
Wheels	✓	✓	✓
Protective cover	—	—	—
Heating capacity	10 m (32 ft) in diameter	10 m (32 ft) in diameter	6 m (20 ft) in diameter
Certification			





Propane & Natural gas

direct-vent heaters

MDV8P **MDV8N**
 Product number: 766008 Product number: 766007

MDV12P **MDV12N**
 Product number: 766013 Product number: 766014

MDV12VP **MDV12VN**
 Product number: 766012 Product number: 766011



Built-in thermostat



Safety fuel
shutoff if flame
goes out



Automatic "low oxygen"
safety shutoff



MDV8P / MDV8N

8,000 Btu
6,000 Btu

Now **Propane** **OR** **Natural gas**



MDV12P / MDV12N

11,000 Btu
11,000 Btu



MDV12VP / MDV12VN

11,000 Btu
11,000 Btu

Propane & Natural gas

direct-vent heaters



MDV20N **MDV20P**
 Product number: 766022 Product number: 766021

MDV20VN **MDV20VP**
 Product number: 766019 Product number: 766020



Built-in thermostat



Safety fuel
shutoff if flame
goes out



Automatic "low oxygen"
safety shutoff



MDV20P / MDV20N

20,000 Btu
20,000 Btu



MDV20VP / MDV20VN


20,000 Btu
20,000 Btu



Installation kit
included





										
	MDV8P	MDV8N	MDV12P	MDV12N	MDV12VP	MDV12VN	MDV20P	MDV20N	MDV20VP	MDV20VN
Product number	766008	766007	766013	766014	766012	766011	766021	766022	766020	766019
Type of gas	Propane	Natural	Propane	Natural	Propane	Natural	Propane	Natural	Propane	Natural
UPC	7 78047 11587 1	7 78047 11661 8	7 78047 11589 5	7 78047 11663 2	7 78047 11588 8	7 78047 11662 5	7 78047 11591 8	7 78047 11665 6	7 78047 11590 1	7 78047 11664 9
Glass-ceramic	—	—	—	—	✓	✓	—	—	✓	✓
Thermostat	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Power input (Btu)	8,000	11,000	11,000	11,000	11,000	11,000	20,000	20,000	20,000	20,000
Heating capacity	18 m² (194 ft²)	30 m² (323 ft²)	30 m² (323 ft²)	30 m² (323 ft²)	30 m² (323 ft²)	30 m² (323 ft²)	50 m² (538 ft²)	50 m² (538 ft²)	50 m² (538 ft²)	50 m² (538 ft²)
Height	57.5 cm (22 5/8 in)	57.5 cm (22 5/8 in)	57.5 cm (22 5/8 in)	57.5 cm (22 5/8 in)	57.5 cm (22 5/8 in)	57.5 cm (22 5/8 in)	57.5 cm (22 5/8 in)	57.5 cm (22 5/8 in)	57.5 cm (22 5/8 in)	57.5 cm (22 5/8 in)
Length	30 cm (11 13/16 in)	38 cm (15 in)	38 cm (15 in)	38 cm (15 in)	38 cm (15 in)	38 cm (15 in)	66 cm (26 in)	66 cm (26 in)	66 cm (26 in)	66 cm (26 in)
Depth	18 cm (7 1/8 in)	18 cm (7 1/8 in)	18 cm (7 1/8 in)	18 cm (7 1/8 in)	18 cm (7 1/8 in)	18 cm (7 1/8 in)	21 cm (8 1/4 in)	21 cm (8 1/4 in)	21 cm (8 1/4 in)	21 cm (8 1/4 in)
Weight	10.5 kg (23.1 lb)	11.5 kg (25.3 lb)	11.5 kg (25.3 lb)	11.5 kg (25.3 lb)	11.5 kg (25.3 lb)	11.5 kg (25.3 lb)	21.5 kg (47.4 lb)	21.5 kg (47.4 lb)	21.5 kg (47.4 lb)	21.5 kg (47.4 lb)
Certification										



Room thermostat

Once set, the temperature remains constant despite thermal variations. The flame adjusts to the temperature of the room, which prevents overheating, gas wastage, and noise pollution.




Glass-ceramic window



Large heavy-duty grill in die-cast aluminum

Allows for better heat flow. The back of the unit is kept at room temperature, which prevents the wall from becoming soiled.



Easy to maintain

Preventive and corrective maintenance is simple.



camping – BBQ – heating – service parts

martin

Bismar Inc.

9 De Montgolfier Street
Boucherville, QC J4B 8C4 Canada

T 1.800.266.1414 **F** 1.877.330.9006 **W** www.bismar.com